

RESEARCH ARTICLE

Open Access

An integrative OSCE methodology for enhancing the traditional OSCE program at Taipei medical university hospital - a feasibility study

Che-Wei Lin^{1,2†}, Daniel L Clinciu^{3,4†}, Mark H Swartz^{5†}, Chien-Chih Wu⁶, Gi-Shih Lien⁷, Cho-Yu Chan⁶, Fei-Peng Lee⁸ and Yu-Chuan Li^{1,9*}

Abstract

Background: Continuous development and use of new technologies and methodologies are key features in improving the learning, performance, and skills of medical students and students of all health care professions. Although significant improvements in teaching methodologies have been made in all areas of medicine and health care, studies reveal that students in many areas of health care taking an objective structured clinical examination (OSCE) express difficulties. Thus, this study was planned as a feasibility study to assess the educational effectiveness of an integrated objective structured clinical examination (iOSCE) using both standardized patients and virtual patients.

Methods: Thirty (30) medical students in their first year of internship at Taipei Medical University volunteered to be part of a feasibility study for demonstrating the concept of iOSCE. They divided themselves into five groups of six students each and were requested to evaluate two cases: 1) a patient with abdominal pain and 2) a patient with headache using a combination of a standardized patient and a virtual patient. For each of the two cases, five stations were designed in which students were given ten minutes per station leading to a final diagnosis and concluded with a debriefing. The five stations were:

- Station 1) Interacting with the standardized patient.
- Station 2) Writing the patient note and developing a differential diagnosis.
- Station 3) Selecting appropriate laboratory and imaging studies.
- Station 4) Making a final diagnosis and stating the evidence for it.
- Station 5) Having the debriefing.

Each group of 6 students was assigned 2 hours per day for each case. All participants completed a survey regarding the usefulness and efficiency of the iOSCE.

Results: All medical students (30/30; 100%) found the iOSCE program to be very satisfactory, and all expressed that they would like to have further iOSCE experiences if given the opportunity. In terms of ease and helpfulness, the students rated the program an average of 4.4 for the 1st case (abdominal pain) and 4.5 for the 2nd case (headache) on a scale of 1–5, with 5 being the highest and 1 being the lowest score.

(Continued on next page)

* Correspondence: jaak88@gmail.com

†Equal contributors

¹Graduate Institute of Medical Informatics, Taipei Medical University, Taipei, Taiwan

⁹Department of Dermatology, Wanfang Hospital, Taipei, Taiwan

Full list of author information is available at the end of the article

(Continued from previous page)

Conclusions: The participants felt that the iOSCE program can offer certain advantages over the traditional OSCE with the SP alone. They cited that the iOSCE provided improved clarity of what was being assessed as well as providing an opportunity to improve their diagnostic reasoning.

Keywords: Medical education, iOSCE, OSCE, Standardized patient, Virtual patient

Background

Continuous development of new, more sophisticated technologies and methodologies are key features in improving the clinical skills taught to medical students and other health care professionals. Medical colleges, schools of medicine, and other health care educational programs have traditionally assessed students' performance using a combination of multiple-choice and essay questions. However, these methods of assessment may not adequately evaluate mastery of essential clinical skills and measure cognitive learning in clinical settings [1]. Furthermore, clinical faculty members often see a disparity between performance of high achievers in the classroom and in clinical settings [2,3]. This inconsistency may stem from differences in testing for memorization of information and clinical application of knowledge. Therefore, the use of performance-based assessment methods, such as the OSCE in health care education is of fundamental importance [4-11]. The OSCE has been used in evaluating clinical competence in health professions education around the world since Harden and Gleason first described the concept in 1979 [12-14]. A Consensus Conference of the Association of American Medical Colleges (AAMC) in 1993 laid the groundwork for SP development in medical school education for teaching and assessing clinical skills [15].

At Taipei Medical University, we use SPs and VPs to create a new way of teaching and assessing the skills of medical students. Unlike the traditional OSCE where 10–12 stations are used, each having a different scenario or mission, iOSCE has five stations utilizing only one scenario or mission. The benefit of this procedure is for students to go through a more detailed and comprehensive problem solving. Students can also choose any information in the process without any given hints as opposed to OSCE where they have only paper available (e.g. x-rays chosen but no x-rays are available).

Since new technology and modern medical equipment has been constantly brought into providing medical and health care, strategies for teaching and evaluation in health care education must change as well [16-18]. This is also in tandem with the philosophy and practice of medical care which puts more emphasis on experiential training than didactic learning. Because more emphasis is being placed on the experiential aspect of training, more effective and more accurate evaluation of students'

performance is done in these practice settings [1,19]. However, the complexities of competencies tested at different OSCE stations may vary significantly and the clarity of instructions given to examinees, as well as the perceived degree of learning needed to achieve the competency being tested/evaluated, may also differ from one OSCE station to another [20-24]. Such wide variations may influence the validity and reliability of the overall examination. Another technique for assessing clinical skills is the mini-CEX. This is a direct observation tool for assessing medical interviewing skills, physical examination skills, humanistic qualities, professionalism, clinical judgment, counseling, organization, efficiency, and overall clinical competence. It is a 10–20 minute direct observation assessment or "snapshot" of a trainee-patient interaction. The faculty is encouraged to perform at least one per clinical rotation. To be most useful, faculty should provide timely and specific feedback to the trainee after each assessment of a trainee-patient encounter. The mini-CEX is a valuable tool, but is extremely faculty intensive.

The use of the VP in an OSCE-based exam has been piloted elsewhere with success [25-27]. Following such principles, this study aimed at enabling candidates to show how he/she could integrate the information obtained from the SP with the proper diagnostic blood and imagine studies obtained from the VP in order to develop a realistic differential diagnosis and plan. Thus, the current feasibility study aims to improve the students' clinical skills as well as their perceptions of the OSCE stations' effectiveness in evaluating competencies without substantial investments in cost and training time for faculty and students.

Methods

This feasibility study was conducted at Taipei Medical University using the facilities of the first year medical education internship program.

Ethics approval

The Department Chair of the Clinical Research Ethics Committee at Taipei Medical Hospital approved the study and confirmed that the study conformed to all applicable guidelines and that ethical matters were dealt with accordingly. An information sheet and a consent form were given to all participating students in the study. All students participating in the study had been given an information

session explaining the project and signed the form of consent prior to this study.

Integrated objective structured clinical examination (iOSCE) methodology

iOSCE is a new methodology at Taipei Medical University which combines the currently used OSCE methodology with an integrated, informative, investigative and innovative approach by using both virtual and standardized patients. The iOSCE program is used to develop a scenario (e.g., abdominal pain, back pain, headache) using an SP and creating the dialogue between the trainee and SP from the Virtual Patient System (DxR)© data.

A standardized patient (SP) is a person simulating the signs and symptoms of disease and is capable of providing feedback to the candidate on clinical skills of history-taking, physical examination, and interpersonal relationships. The term virtual patient (VP) is used to describe interactive computer simulations that are used in health care education. The VP is used for candidates to work through problems and situations that occur commonly in health care settings. The VP provides a consistent interactive and dynamic approach that promotes clinical reasoning and in-depth exploration of medical content.

Participants

Thirty medical students in their first year of internship at Taipei Medical University volunteered to be part of the in a feasibility study for demonstrating the concept of iOSCE. They divided themselves into five (5) groups of six students each and were requested to evaluate two cases:

1) a patient with abdominal pain and 2) a patient with headache using a combination of a standardized patient and a virtual patient.

Materials and procedures

To achieve a comprehensive and formative assessment of our students' clinical competencies, this assessment model is designed as a short OSCE (using one specific scenario for a series of test sessions) that contains five integrated components set up at different stations (Figure 1). After providing a brief orientation to the examinees, the examinees went through the following stations to receive assessment of specific clinical skills as seen in Figure 1:

- Station 1 was planned for assessing the competencies of history taking and physical examination by using an SP.
- Station 2 was designed for assessing the ability to develop a differential diagnosis from the information obtained from previous station by using DxR Clinician© system differential diagnosis page.




Table 1 The participants' rating of iOSCE for case 1 (abdominal pain)

Rating scale (1–5)	Clinically relevant	Improving clinical skills	Helpful	Difficult	Will attend again
Strongly agree (5)	18	19	17	4	23
Agree (4)	11	10	12	12	7
Somewhat agree (3)	1	1	1	12	0
Disagree (2)	0	0	0	0	0
Strongly disagree (1)	0	0	0	0	0
Average score	4.6	4.6	4.5	3.4	4.8

- Station 3 was aimed at assessing the examinee's ability to select appropriate laboratory and imaging tests and to interpret them using the DxR Clinician©.
- Station 4 assessed the examinee's ability to establish a diagnosis by using DxR Clinician©.
- Station 5 provided feedback to the examinees by a physician tutor in a small group.

By combining the data from the VP and the SP, this approach gives students the opportunity to experience the emotions of a real patient, the ability to interact and interview a live patient and at the same time the examinee can decide on a workup and establish a differential diagnosis. This may improve both the method of assessing trainees and the venue for students to reflect and learn from their assessment. Through the iOSCE program, medical students have a chance to review themselves and improve their skills of critical reflection during clinical practice examinations.

Results

Thirty medical students in their first year of internship participated in the iOSCE development. One hundred percent (30/30) of students in Case 1 and Case 2 stated that iOSCE was helpful while all expressed that they will attend again if given the opportunity. The satisfaction level of participants was an average of 4.4 for the 1st case (abdominal pain) and 4.5 on a scale of 5 (Table 1). The highest scores were obtained in the following four categories where the score in each category was 4.4 or above: 1) closest to a clinical setting (4.6 for case 1; 4.6 for

case 2); 2) helped improve trainee's clinic skills (4.6 for both cases); 3) iOSCE was helpful (4.5 for case 1 Table 1; 4.7 for case 2, Table 2); 4) participant will attend again if given the opportunity (4.8 for both cases). The only category that scored lower was the one emphasizing the difficulty felt by participants (3.6 for case 1; 3.9 for case 2).

Discussion

From the students' opinions, we concluded that the iOSCE training methodology provides a less stressful and a more helpful assessing and learning experience than a single SP or VP experience. The students indicated that they would like to participate again. The experience is quite comparable to that of a clinic setting. They expressed that the iOSCE allows them to "take charge" of the situation and their patient whereas this was not possible during the previous traditional OSCE setup [14].

The faculties have the responsibility to design and create student-centered curriculum within the current education trend. Implementing the iOSCE program at Taipei Medical Hospital is not only an improved assessment instrument for medical students, but it also serves as a new and improved teaching method through the integration of medical informatics, investigative and innovative methodologies embedded within OSCE. The feedback from students has encouraged the faculty to organize a new and complete iOSCE curriculum.

iOSCE allows the faculty to pinpoint student deficiencies from the statistics function of the virtual patient system. Since we record every activity of students, we can trace students' thought processes, and use the statistics and data for analysis and teaching purposes. For example, in Case 1

Table 2 The participants' rating of iOSCE for case 2 (headache)

Rating scale (1–5)	Clinically relevant	Improving clinical skills	Helpful	Difficult	Will attend again
Strongly agree (5)	18	18	21	8	23
Agree (4)	12	11	9	13	7
Somewhat agree (3)	0	1	0	7	0
Disagree (2)	0	0	0	0	0
Strongly disagree (1)	0	0	0	0	0
Average score	4.6	4.6	4.7	3.9	4.8

# of Students	Criteria Item	# of Students Satisfactory
8	Blood A-G 16 Amylase or equivalent	0
21	Blood A-G 24 Bilirubin (Blood)	
20	Present Illness 03 Have you noticed anything that makes the problem better or worse? or equivalent	
1	Present Illness 16 Have you recently been injured? When and what kind of injury? or equivalent	
28	Present Illness 01 Why are you here today? What problems are you having? or equivalent	
13	General 12 Fever or equivalent	
29	Present Illness 05 Can you describe the symptoms? or equivalent	
9	Present Illness 06 How severe are the symptoms? Minor? Debilitating? or equivalent	

Figure 2 The statistics table from the Utility Record. Using the Utility Record the faculty and trainers can see the performance of each student and use it as feedback when training or teaching.

(abdominal pain), we found that there was only one out of 30 students who asked “Have you had an abdominal injury recently?” (Figure 2). This suggests that most students didn’t even think that injury can be a cause for abdominal pain. Thus, the teacher can obtain valuable information on what the students have missed or what they forgot to do or ask based on the recordings from each station.

The combination of SP and VP used in iOSCE allows a medical student/trainee to write a plan of action and obtain the information about what kinds of tests the patient may need based on both interaction with the SP and the data available from DxR© Clinician. In addition, the use of debriefing in iOSCE also enhances learning by increasing confidence and reducing embarrassment of students in case they missed something, performed poorly during rotations and/or made a bad diagnosis. The iOSCE is an innovative approach to better reveal the various problems of learning and performance students encounter during rotations while hastening the learning and improvement in performance through a safe medical environment.

Although the type and clarity of instructions and level of complexity of tasks varied from one station to the next, the iOSCE methodology received very satisfactory comments from all participants. Participants expressed that the iOSCE experience at Taipei Medical University was better than the OSCE previously conducted in that it clarified what was to be assessed as well as allowing the participant to demonstrate his/her diagnostic reasoning better writing a simple patient note. The candidate was now able to show how he/she could integrate the information obtained from the SP with the proper diagnostic blood and imagine studies from the VP to develop a realistic differential diagnosis and plan.

Overall the iOSCE concept or methodology has the following advantages:

- 1) iOSCE uses all qualified cases, all coming from real patients.
- 2) Educators can get the information from the DxR© Clinician easily to make up a scenario to be used with an SP.
- 3) The faculty can get real time students performance and give them immediate feedback for proper learning and personalized teaching since the utility record provides deficient and incomplete information.
- 4) The students experience the process of making a real diagnosis.

Limitations

Our study was limited by relatively small numbers of participants and a limited number of cases. We plan to design a study with more examinees and more cases so we can further compare the OSCE and iOSCE advantages and disadvantages.

Conclusion

Using the iOSCE methodology to evaluate competency is an effective method as shown by the results in this study and by the feedback obtained from students. The following observations were made by teaching staff/examiners while students/examinees underwent iOSCE: examiners can get a real time feedback, find student learning deficiencies and help students learn from their mistakes. Aided by the implementation of iOSCE, teaching staff can better see where students are deficient and can easier set up case learning environments to hasten the student learning process. However, further design and experimentation must be done before such methodology can be considered for a possible standard exam.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

CWL has developed the iOSCE methodology, supervised the study, acquired necessary data and has critically revised the manuscript. DLC has organized, analyzed and interpreted the data and drafted the entire manuscript. MHS and GSL critically analyzed the data and wrote parts of the manuscript. CCW, CYC and FPL have organized and facilitated the study, interviewed and selected participants, helped organize the iOSCE program and have provided critical analysis of this study. YCL helped with critical analysis and interpretation of data and helped organize, facilitate and supervise this study. All authors read and approved the final manuscript.

Acknowledgements

Authors are thankful to the Department of Research and Education at Taipei Medical University Hospital and to all the people that helped with this project. We want to thank Dr. Hurley Myers (inventor of the DxR© clinician) for invaluable insights into VP uses, concepts and how they can be used in developing iOSCE. We also thank Hao-Yu Chen for her great help with designing the process of iOSCE and administrative help.

Author details

¹Graduate Institute of Medical Informatics, Taipei Medical University, Taipei, Taiwan. ²Department of Research and Education, Wan Fang Hospital, Taipei Medical University, Taipei, Taiwan. ³Institute of Translational Medicine, Taipei Medical University, Taipei, Taiwan. ⁴Department of International Trade, Feng Chia University, Taichung, Taiwan. ⁵SUNY Downstate College of Medicine & C3NY, Clinical Competence Center of New York, New York, USA. ⁶Department of Research and Education, Taipei Medical University Hospital, Taipei, Taiwan. ⁷Department of Internal Medicine, Wan Fang Hospital, Taipei Medical University, Taipei, Taiwan. ⁸Department of Otolaryngology, Wanfang Hospital, Taipei, Taiwan. ⁹Department of Dermatology, Wanfang Hospital, Taipei, Taiwan.

Received: 13 September 2012 Accepted: 12 July 2013

Published: 26 July 2013

References

1. Kohn L, Corrigan J, Donaldson MS: *To Err is human: building a safer health care system*. Washington, DC: National Academy Press; 2000.
2. Van der Vleuten CPM, Norman GR, De Graaff E: **Pitfalls in the pursuit of objectivity: issues of reliability**. *Med Educ* 1991, **25**(2):110–118.
3. Downing SM: **Validity: on meaningful interpretation of assessment data**. *Med Educ* 2003, **37**(9):830–837.
4. Okuda Y, Bryson EO, DeMaria S Jr, Jacobson L, Quinones J, Shen B, Levine AI: **The utility of simulation in medical education: what is the evidence?** *Mt Sinai J Med* 2009, **76**:330–343.
5. Gaba DM: **The future vision of simulation in health care**. *Qual Saf Health Care* 2004, **13**(suppl 1):i2–i10.
6. Bryson EO, Levine AI: **The simulation theater: a theoretical discussion of concepts and constructs that enhance learning**. *J Crit Care* 2008, **23**:185–187.
7. Cunnington JPW, Neville AJ, Norman GR: **The risks of thoroughness: reliability and validity of global ratings and checklists in an OSCE**. *Adv Health Sci Educ* 1996, **1**(3):227–233.
8. Botezatu M, Hult H, Fors UG: **Virtual patient simulation: what do students make of it? a focus study**. *BMC Med Ed* 2010, **10**:91–99.
9. Via DK, Kyle RR, Trask JD, Shields CH, Mongan PD: **Using high-fidelity patient simulation and an advanced distance education network to teach pharmacology to second-year medical students**. *J Clin Anesth* 2004, **16**:144–151.
10. Fitch MT: **Using high-fidelity emergency simulation with large groups of preclinical medical students in a basic science course**. *Med Teach* 2007, **29**:261–263.
11. Okuda Y, Bond WF, Bonfante G, McLaughlin S, Spillane L, Wang E, Vozenilek J, Gordon JA: **National growth in simulation training within emergency medicine residency programs, 2003–2008**. *Acad Emerg Med* 2008, **15**:1113–1116.
12. Berkenstadt H, Ziv A, Gafni N, Sidi A: **The validation process of incorporating simulation-based accreditation into the anesthesiology Israeli national board exams**. *Isr Med Assoc J* 2006, **8**:728–733.
13. Taghva A, Mir-Sepassi GR, Zarghami M: **A brief report on the implementation of an objective structured clinical examination (OSCE) in the 2006 Iranian board of psychiatry examination**. *Iran J Psych Behav Sci (IJPBS)* 2007, **1**(1):39–40.

14. Harden RM, Gleeson FA: **Assessment of clinical competence using an objective structured clinical examination (OSCE)**. *Med Educ* 1979, **13**(1):41–54.
15. Anderson MB, Kassebaum DG: **Proceedings of the AAMC's consensus conference on the use of standardized patients in the teaching and evaluation of clinical skills**. *Acad Med* 1993, **68**:437–483.
16. Gaba DM: **Improving anesthesiologists' performance by simulating reality**. *Anesthesiology* 1992, **76**:491–494.
17. Okuda Y, Quinones J: **The use of simulation in the education of emergency care providers for cardiac emergencies**. *Int J Emerg Med* 2008, **1**:73–77.
18. Levine AI, Swartz MH: **Standardized patients: the "other" simulation**. *J Crit Care* 2008, **23**:179–184.
19. Iramaneerat C, Yudkowsky R, Myford CM, Downing SM: **Quality control of an OSCE using generalizability theory and many-faceted Rasch measurement**. *Adv Health Sci Educ* 2008, **13**(4):479–493.
20. Okwale DI, Swanson DB: **Psychometric characteristics of objective structured clinical examinations**. *Med Educ* 1988, **22**(4):325–334.
21. Cerveny JD, Knapp R, DeSignore M, Carson DS: **Experience with objective structured clinical examinations as a participant evaluation instrument in disease management certificate programs**. *Am J Pharm Educ* 1999, **63**(4):377–381.
22. Varkey P, Natt N, Lesnick T, Downing S, Yudkowsky R: **Validity evidence for an OSCE to assess competency in system-based practice and practice-based learning and improvement: a preliminary investigation**. *Acad Med* 2008, **83**(8):775–780.
23. Grenvik A, Schaefer J: **From Resusci-Anne to Sim-Man: the evolution of simulators in medicine**. *CritCare Med* 2004, **32**(suppl):S56–S57.
24. Wass V, Van der Vleuten C, Shatzer J, Jones R: **Assessment of clinical competence**. *Lancet* 2001, **357**:945–949.
25. Courteille O, Bergin R, Stockeld D, Ponzer S, Fors U: **The use of a virtual patient case in an OSCE-based exam - a pilot study**. *Medical Teacher* 2008, **30**(3):e66–e76.
26. Oliven A, Nave R, Gilad D, Barch A: **Implementation of a web-based interactive virtual patient case simulation as a training and assessment tool for medical students**. *Stud Health Technol Inform* 2011, **169**:233–237.
27. Triola M, Feldman H, Kalet AL, Zabar S, Kachur EK, Gillespie C, Anderson M, Griesser C, Lipkin M: **A randomized trial of teaching clinical skills using virtual and live standardized patients**. *J Gen Intern Med* 2006, **21**(5):424–429.

doi:10.1186/1472-6920-13-102

Cite this article as: Lin et al.: An integrative OSCE methodology for enhancing the traditional OSCE program at Taipei medical university hospital - a feasibility study. *BMC Medical Education* 2013 **13**:102.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

